



UNITED STATES PATENT AND TRADEMARK OFFICE

Under Secretary of Commerce for Intellectual Property and Director of the United States Patent and Trademark Office

application number 09/638704

FILING/RECEIPT DATE 08/14/2000

FIRST NAMES APPLICANT
GUTWEIN, ROGER
WILLIAM

ATTORNEY DOCKET NUMBER 7724M

THE PROCTER & GAMBLE COMPANY
INTELLECTUAL PROPERTY DIVISION
WINTON HILL TECHNICAL CENTER - BOX 161
6110 CENTER HILL AVENUE
CINCINNATI OH 45224

Examiner
WEIER, ANTHONY

Art Unit 1761

Date Mailed: 3-24-04

5/24/04


Notice Regarding Drawings

Corrected drawings for the above-identified application, received in the USPTO on 8-14-00 are still not acceptable for the reason(s) identified on the attached PTO-948. Applicant is given one opportunity to correct the informalities within a two-month time period from the mailing date of this Notice. THIS TIME PERIOD IS NOT EXTENDABLEUNDER EITHER 37 CFR 1.136(a) OR 1.136(b). Failure to take corrective action within the set period will result in abandonment of the application.

ATTACHMENT: PTO-948 Notice of Draftsperson's Patent Review

RETURN CORRECTED DRAWINGS TO: Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

Steven Fields
Office of Patent Publication
Publishing Division
(703) 305-8335



Form PTO-948 (Rev. 06/03)
Application No. 09/638704

U.S. DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

1. DRAWINGS. 37 CFR 1.84(a). Acceptable categories of drawings: Black ink or Color (3 sets required). Color drawings are not acceptable until petition is granted. Fig(s) Peneti and no black ink not permitted. Fig(s) Peneti and no black ink not permitted. Fig(s) Photographs may not be mounted. 37 CFR 1.84(c) Photographs may not be mounted. 37 CFR 1.84(c) Photographs may meet the mounted. 37 CFR 1.84(c) Photographs may meet paper size requirements of 37 CFR 1.84(f). Photographs may not be mounted. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Proor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches). Drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Solid black shading not permitted. Fig(s) Top (7) Left (L.) Photographs may not be mounted. 37 CFR 1.84(p) Top (7) Left (L.) Paper not flexible, strong, white, and durable. Fig(s) Top (7) Left (L.) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Top (7) Left (L.) Photographs may not the same size. Sheet(s) Drawings sheets not the same size. Sheet(s) Drawings sheets not the same size. Sheet(s) Drawings sheets not man acceptable size. Fig(s) Top (7) Left (L.) Photographs may not show mechanism without crowding when drawing is reduced in size to two-thirds in reproduction. Fig(s) Solid black standing not permitted. Fig(s) Solid black standing not permitted. Fig(s) Solid black standing not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers not reference characters not plain and legible. Fig(s) Numbers. Setters and reference characters not plain and legi	drawings are required.	O AND ANOTHER OF THE SECOND SECOND
Color drawings are not acceptable until petition is granted. Fig(s) Pencit and non black ink not permitted. Fig(s) 2 PHOTOGRAPHS. 37 CFR 1.84(f). Grig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) 37 CFR 1.84(f). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (B 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable margins. Tup 2.5 cm Left 2.5 cm Right 1.5 cm Bostom (B) 6. VIEWS. 37 CFR 1.84(h) 6. VIEWS. 37 CFR 1.84(h) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted exer when used to represent the colur black as well as color contrest). Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u) Views not labeled separately or properly. Fig(s) Solid black surface shading is not permitted exer when used to represent the colur black as well as color contrest). Fig(s)	···	•
Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(c) Photographs must meet paper size requirements of 37 CFR 1.84(f). Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) Poor quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) A SIZE OF PAPER. 37 CFR 1.84(f). Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or Sheet(s) Drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Top (T) Left (L) Right (R) Bortom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be charged. Views not labeled separately or properly. Fig(s) Scettonal designation should be noted with Arabic or Roman numbers. Fig(s) Scilid black surface shading is not permitted executed on represent the color black as well as color contrast, Fig(s) Solid black surface shading is not permitted executed on represent the color black as well as color contrast, Fig(s)	-	
granted Fig(s) Pencil and non black ink not permitted. Fig(s) 2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(c) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations overwritings. Erasures, alterations overwritings. Erasures, alterations overwritings. Fig(s) Erasures, alterations, overwritings. Fig(s) Erasures, alterations, overwritings. Fig(s) Erasures, alterations, overwritings. Fig(s) Erasures, alterations, overwritings. Fig(s) Erasures, alterations, overwritings. Fig(s) Erasures, alterations, overwritings. Fig(s) Erasures, alterations, overwritings. Fig(s) Erasures, alterations, overwritings. Fig(s) I. SHADING. 37 CFR 1.84(h) Solid black shabding not permitted. Fig(s) Solid black shabding not permitted. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers. letters and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Lead lines missing. Fig(s) 10. DESIGN DRAWINGS. 37 CFR 1.84(u) Views not labeled separately or properly. Fig(s) Solid bla		
Pencil and non black ink not permitted. Fig(s) 2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tene set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(c) Photographs may not be mounted. 37 CFR 1.84(c) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER 37 CFR 1.84(f). Acceptable sizes: Sizes: Drawings sheets not the same size. Sheet(s) Drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Margins not acceptable. Fig(s) Margins not acceptable. Fig(s) Fig 30 A Views. 37 CFR 1.84(f). Acceptable margins. Typ 2.5 cm Left 2.5 cm Right 1.5 cm Bostom in John Margins not acceptable size. Fig(s) Numbers and reference characters not uniformly thick ar well defined, clean, durable, and black (poor liquality). Fig(s)	a second returns	·
2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(c) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Margins not acceptable. Fig(s) Top (1) Left (L) Aright (R) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1. Each (L) Fig(s) Fig(s) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1. Each (L) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Solid black strate and the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) F	Pencil and non black ink not permitted. Fig(s)	
One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(c) Photographs may not be mounted. 37 CFR 1.84(c) Photographs may not be mounted. 37 CFR 1.84(c) 37 CFR 1.84(f). Fig(s) Poor quality (naff-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.0 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an auceptable size. Fig(s) Smargins not acceptable. Fig(s) Top 25 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top 17 Left (L) Reight (R) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1a, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted exee when used to represent the color black as well as color outrast. Fig(s) Solid black surface shading is not permitted exee when used to represent the color black as well as color outrast. Fig(s)		• •
Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (B1N size A4) or 22.5 cm left E184(p) 23. cm by 27.9 cm (B1N size A4) or 24. cm by 27.9 cm (B1N size A4) or 25. cm left E1	· ·	
Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) 3. TYPE OF PAPER 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) Drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable size, Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bostom 1.0 cm Margins not acceptable. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bostom 1.0 cm Margins not acceptable. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bostom 1.0 cm Williams and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers preference characters not oriented. The same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers preference characters not oriented. The same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers preference characters not oriented. The same direction as t		
37 CFR 1.84(f). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Fig(s) Size OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 29.7 cm (DIN size A4) or 21.6 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size, Fig(s) Margins not acceptable. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top 17 Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black areas pale. Fig(s) Lines, numbers at leters not uniformly thick ar well defined, clean, durable, and black (poor liquality). Fig(s) Lines, numbers at leters not uniformly thick ar well defined, clean, durable, and black (poor liquality). Fig(s) Solid black areas pale. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(q) Lead Lines. 37 CFR 1.84(q) Lead Lines. 37 CFR 1.84(q) Lead lines missing. Fig(s) Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Sheet(s) Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Fig(s) Solid black surface shading is not permitted exce when used to represent the color black as well as color confrast. Fig(s)		
Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: Sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) All drawings sheets not an acceptable size. Fig(s) Top (7) Argins not acceptable. Fig(s) Argins not acceptable. Fig(s) Top (7) Ceff (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) Arabic or Roman numbers. Fig(s) Arabic or Roman numbers. Fig(s) Description of the Drawings, must likewise be charged. Views not labeled separately or properly. Fig(s) Arabic or Roman numbers. Fig(s) Description of the Drawings, must likewise be charged. Views not labeled separately or properly. Fig(s) Arabic or Roman numbers. Fig(s) Description of the Drawings, must likewise be charged. Views not labeled separately or properly. Fig(s) Arabic or Roman numbers. Fig(s) Description of the Drawings, must likewise be charged. Views not labeled separately or properly. Fig(s) Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Arabic or Roman numbers. Fig(s) Solid black srading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters must at least 32 cm (1/8 inch) in height at leas		
3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.0 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size, Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins. Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) ReMINDER: Specification may require revision to correspond to drawing changes, c.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black stabading not permitted excession and acceptable size. Fig(s) CHARACTERS. 37 CFR 1.84(m) Solid black saea pale, Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and iegible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers alterters and reference characters not plain and iegible. Fig(s) Numbers and reference characters not plain and iegible. Fig(s) Numbers and reference characters not plain and iegible. Fig(s) Numbers and reference characters not plain and iegible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not plain and iegible. Fig(s) Numbers and reference characters not plain and iegible. Fig(s) Numbers altertary fig(s) 12. NUMBERING. 37 CFR 1.84(m) Numbers and reference characters not plain and iegible. Fig(s) Numbers and reference characters not plain and iegible. Fig(s) Numbers and reference characters not plain and iegible. Fig(s) Numbers a	Poor quality (half-tone). Fig(s)	
Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (B 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) SMARGINS. 37 CFR 1.84(g): Acceptable margins. Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) All drawing changes, c.g., if Fig. 1 is changed to Fig. 1A. Fig. 1B and Fig. 1C. etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black sadding on permitted. Fig(s) CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers. Letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Numbers. Letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Numbers. Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers. Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers. Letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Section of Fig. 1. Fig. 1 is characters modered to represent the color black as well as color contrast. Fig(s)	3. TYPE OF PAPER. 37 CFR 1.84(e)	
Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 29.7 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size, Fig(s) S. MARGINS. 37 CFR 1.84(g): Acceptable margins. Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Right (R) 8 Dottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black sardaing not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented. 18. LEAD LINES. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented. 19. Leaf Lines in sing in propers. 19. LEAD LINES. 37 CFR 1.84(p)(2) Fig(s) Numbers and referen	Paper not flexible, strong, white, and durable.	well defined, clean, durable, and black (poor lin
Folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 29.7 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) S. MARGINS. 37 CFR 1.84(g): Acceptable margins. Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1 0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(p) REMINDER: Specification may require revision to correspond to drawing changes, c.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Asectional designation should be noted with Arabic or Roman numbers. Fig(s) Arabic or Roman numbers. Fig(s) Solid black saras pale. Fig(s) CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters mot oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Lead lines missing. Fig(s) Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Sheet(s) Numbers beginning with number 1. Fig(s) Sheets not numbered consecutively, and in Arab numbers beginning with number 2. Sheet(s) Solid black stading not pour filed the	Fig(s)	
Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size, Fig(s) S. MARGINS. 37 CFR 1.84(g): Acceptable margins. Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1 0 cm Margins not acceptable. Fig(s) Margins not acceptable. Fig(s) Yop (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Fig	Erasures, alterations, overwritings, interlineations,	
4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins. Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) 2 Top (T) Right (R) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, c.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted excerment. 12. NUMBERS, LETTERS, & REFERENCE / CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. F	The state of the s	Solid black areas pale. Fig(s)
Sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) S. MARGINS. 37 CFR 1.84(g): Acceptable margins. Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm All drawing sheets not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not pricinted the same direction as the view. 37 CFR 1.84(p) Fig(s) Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not pricinted the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers legible. Fig(s) N		Solid black shading not permitted. Fig(s)
21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) S. MARGINS. 37 CFR 1.84(g): Acceptable margins. Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, c.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s). 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Fig(s) Fig(s) Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Fig(s) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Fig(s) Left (L) Right (R) Bottom (B) 1.84(p)(3). Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u) Views not labeled separately or properly. Fig(s) Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.85(u) Views not numbered consecutively, and in Arab numbers beginning with number 1. Sheet(s) Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Sheet(s) Solid black surface shading is not permitted exceven used to represent the color black as well as color contrast. Fig(s)	· · · · · · · · · · · · · · · · · · ·	
21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins. Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1. cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, c.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted executive to color contrast. Fig(s) Solid black surface shading is not permitted executive to color contrast. Fig(s)		
All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) S. MARGINS. 37 CFR 1.84(g): Acceptable margins. Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Fig(s) Figure legends are poor. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numbers beginning with number 1. Sheet(s) Numbers letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) 15. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numberals, beginning with number 1. Sheet(s) Solid black surface shading is not permitted execution to the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(q) Lead lines missing. Fig(s) 15. NUMBERING OF VIEWS.		
Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins. Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the Specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters mot oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Sheat 1.84(p)(3). Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(t) Shects not numbered consecutively, and in Arab numerals, beginning with number 1. Shect(s) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) Solid black surface shading is not permitted execution and the properties of the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Shects not numbered consecutively, and in Arab numerals, b		
the same direction as the view. 37 CFR 1.84(p) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins. Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1 dem Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, c.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Top (1.84(g): Acceptable margins. Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1 dem Som (1/8 inch) in height. 37 CFR 1.84(p) 1.84(p)(3). Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(t) Sheets not numbered consecutively, and in Arab numerals, beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted executively and in Arab numerals, beginning with number 1. Fig(s)		
Fig(s) S. MARGINS. 37 CFR 1.84(g): Acceptable margins. Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Numbers. letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(q) 1.84(p)(3). Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(t) Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted executive of the color black as well as color contrast. Fig(s)		
Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1 Q cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s). 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted exceywhen used to represent the color black as well as color contrast. Fig(s)		•
Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s). 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted exceywhen used to represent the color black as well as color contrast. Fig(s)		
Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height, 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s). 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted executive to the color black as well as color contrast. Fig(s)		 ·
Arabic or Roman numbers. Fig(s) Reight (R) Bottom (B) at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p) 1.84(p)(3). Fig(s) 1.84(p)(a) Lead lines missing. Fig(s) 1.84(p) 1.84(p)(a) 1.84(p) 1.84(p)(a) 1.84(p) 1.84(p)(a) 1.84(Y Top (T) Left (L)	
6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s). 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s). Solid black surface shading is not permitted executive as well as color contrast. Fig(s).	Right (R) Bottom (B)	
correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s). 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted excellent the color black as well as color contrast. Fig(s)	6. VIEWS. 37 CFR 1.84(h)	_
correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s). 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted excellent as well as color contrast. Fig(s)	REMINDER: Specification may require revision to	13. LEAD LINES. 37 CFR 1.84(q)
specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s). SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted executives. Fig(s) Solid black surface shading is not permitted executive as well as color contrast. Fig(s)	correspond to drawing changes, c.g., if Fig. 1 is	Load lines missing. Fig(s)
specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s). SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted executives. Fig(s) Solid black surface shading is not permitted executive as well as color contrast. Fig(s)		14. NUMBERING OF SHEETS OF DRAWINGS
Views not labeled separately or properly. Fig(s). 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted executive when used to represent the color black as well as color contrast. Fig(s)	•	
Fig(s). 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)	——————————————————————————————————————	Sheets not numbered consecutively, and in Arabi
7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Mrabic or Roman numbers. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)		
Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Arabic or Roman numbers. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted execution when used to represent the color black as well as color contrast. Fig(s)	PAGES AND	
Arabic or Roman numbers. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)		
Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted exceed when used to represent the color black as well as color contrast. Fig(s)		
Fig(s) Solid black surface shading is not permitted exce when used to represent the color black as well as color contrast. Fig(s)	Arabic or Roman numbers. Fig(s)	
Solid black surface shading is not permitted execution used to represent the color black as well as color contrast. Fig(s)	·	
when used to represent the color black as well as color contrast. Fig(s)		
color contrast. Fig(s)		when used to represent the color black as well as
	DMMENTS:	
	(1)	

IPW B



I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Office of Patent Publication; Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on May 11, 2004.

Theodore P. Cummings, Esq. : 40,973

Name of Attorney/Agent Registration No.

P&G Case 7724M

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the application of

Roger William Gutwein, et al.

Serial No. 09/638,704

Confirmation No. 1024

Filed 08/14/2000

For METHODS AND SYSTEMS UTILIZING DELAYED DILUTION, MIXING AND FILTRATION FOR PROVIDING CUSTOMIZED BEVERAGES ON DEMAND

RESPONSE TO NOTICE REGARDING DRAWINGS

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450 Office of Patent Publication

Dear Sir:

This replies to the Notice Regarding Drawings and the Notice of Draftsperson's Patent Review (PTO-1533) mailed March 24, 2004. A copy of the Notice Regarding Drawings and the Notice of Draftsperson's Patent Review (PTO-1533) is enclosed.

To complete the informalities noted on the Notice Regarding Drawings and the Notice of Draftsperson's Patent Review (PTO-1533), applicant submits herewith new drawings complying with the size requirements (in compliance with 37 C.F.R. §1.84) and drawings of sufficient quality to readily use the patent application publication as a prior art document.

The Director is hereby authorized to make any additional copies of this sheet needed to accomplish the purposes provided for herein and to charge any fee for such copies to Deposit Account No. 16-2480.

Respectfully submitted,

Theodore P. Cummings

Attorney or Agent for Applicant(s)

Registration No. 40,973

(513) 634-0102

Date: May 11, 2004

Customer No. 27752